


E.6
7406



Thomas
Krueger/R5/USEPA/US
07/04/2006 11:32 AM

To thomas.craig@epa.gov, harris.michael@epa.gov,
jansen.sally@epa.gov
cc
bcc

Subject Fw. Response to "action" Ltr dated 6-29-06

-----Forwarded by Thomas Krueger/R5/USEPA/US on 07/04/2006 11:26AM -----

To: Thomas Krueger/R5/USEPA/US@EPA
From: mphil35950@aol.com
Date: 06/30/2006 04:46PM
Subject: Response to "action" Ltr dated 6-29-06

Mr. Krueger;

Please find attached Universal Form Clamp Co. response to your
letter dated 6-29-2006

You may contact me at the following:
813-838-5634
mPhil35950@aol.com

Thank You

Mike Phillips
Universal Form Clamp Co.
Special Project Mgr.

Check out AOL.com today. Breaking news, video search, pictures, email and IM. All on demand. Always
Free.



EPA action Ltr.doc



universal form clamp co.

Corporate Headquarters 840 South 25th Avenue, Bellwood IL 60104 phone (800) 728-1958 fax. 708-544-5965

June 30, 2006

Thomas Krueger
Regional Council
U.S. Environmental Protection Agency
U.S. EPA, C-14J
77 West Jackson Blvd.
Chicago, IL 60604-3590

Mr. Krueger;

Universal Form Clamp Co. is in receipt of your letter dated June 30, 2006 re; Pollution incident June 14, 2006, signed by Linda M. Nachowicz.

Please be advised, Universal Form Clamp has retained U.S. Risk / Environmental Services to perform all required action, per [Sec. 4] "clean-up" in the above referenced letter. U.S. Risk / Environmental Services will also perform all site remediation per [Sec. 7], Scope of Work Plan and a Site Safety Plan have been submitted, and work has commenced Friday June 30, 2006, site clean-up and remediation will be complete no later than Wednesday July 5, 2006. With the possible exception of [1] mix tank #O-2 which will be emptied during the clean-up phase but all fitting and pumps are to remain "as is" by direction of Randy P. McClure Investigator-in-charge U.S. Chemical Safety Board.

Universal Form Clamp Co. acted in an expedient manner in all aspects of the site control and initial "Fire Water" retention, testing and disposal, any delays per [Sec 6] in site "clean-up" and "remediation were due to U.S. ATF taking control of the site and restricting access for evidence protection purposes. Universal Form Clamp and it's agents did not regain "Control" of the site until Thursday June 29, 2006 at which time U.S. Risk / Environmental began preliminary site preparation.

Also be advised that Universal Form Clamp Co. has not received as of this date any correspondence or copies of correspondence from Bellwood Fire Dept. and U.S. EPA re: BFD concerns, per [Sec. 5] safety and stability of chemicals on site. Chief Harvey Requested removal of 4/Pallets of flammable material to an outside retention area, and that was accomplished within hours of his directive.

If you are in need of any further information please contact me at the number below
813-838-5634

Respectfully

Mike Phillips



universal
form clamp co.

Corporate Headquarters 840 South 25th Avenue, Bellwood IL 60104 phone (800) 728-1958 fax: 708-544-5965